

Supplementary information S1 (table): Microbial complement-targeting proteins

	Pathogen Protein	Target	Action	Ref	
Bacteria					
<i>Actinobacillus</i> spp.					
	Omp100	Outer membrane protein 100	fH	Recruitment of regulators	1
<i>Bordetella</i> spp.					
	FHA	Filamentous hemagglutinin	C4BP, (fH, FHL-1)	Recruitment of regulators	2
<i>Borrelia</i> spp.					
	CRASP	Complement regulator-acquiring surface proteins	fH, FHL-1	Recruitment of regulators	3
	Erp	OspE/F-related proteins	fH	Recruitment of regulators	4, 5
	n/a	CD59-like protein	C8, C9	Prevents MAC formation	6
<i>Escherichia</i> spp.					
	OmpA	Outer membrane protein A	C4BP	Recruitment of regulators	7
	StcE	Secreted protease of C1 esterase inhibitor	C1-INH	Recruitment of C1-INH	8
	TraT	TraT outer membrane protein	C5b6	Prevents MAC formation	9
<i>Fusobacterium</i> spp.					
	n/a	Unknown factor	fH	Recruitment of regulators	10
<i>Haemophilus</i> spp.					
	n/a	Unknown factor	C4BP, fH	Recruitment of regulators	11, 12
<i>Moraxella</i> spp.					
	UspA1/2	Ubiquitous surface protein A1 / A2	C4BP	Recruitment of regulators	13
<i>Neisseria</i> spp.					
	LOS	Lipooligosaccharide	fH, FHL-1	Recruitment of regulators	
	GNA1870	Genome-derived neisserial antigen 1870	fH, FHL-1	Recruitment of regulators	14
	Por	Outer membrane porins	C4BP, fH, FHL-1	Recruitment of regulators	15, 16
	n/a	Type IV pili	MCP	Attachment to epithelial cells	17
<i>Porphyromonas</i> spp.					
	prhH	prhH protease	C3, IgG	Degrades C3 and IgG	18

***Pseudomonas* spp.**

PaE	Pseudomonas elastase	C1q, C3	Degrades C1q and C3	19
PaAP	Pseudomonas alkaline protease	C1q, C3	Degrades C1q and C3	19
Tuf	Elongation factor	fH, FHL-1	Recruitment of regulators	20

***Serratia* spp.**

n/a	56 kDa protease	C5a, C1-INH	Degrades C5a, degrades C1-INH	21, 22
-----	-----------------	-------------	-------------------------------	--------

***Staphylococcus* spp.**

CHIPS	Chemotaxis inhibitory protein of <i>S. aureus</i>	C5aR	Antagonizes C5a	23
Efb	Extracellular fibrinogen-binding protein	C3/C3b/C3d	Inhibition of C3 and C3b-containing convertases	24-26
Ehp ^a	Efb-homologous protein	C3/C3b/C3d	Inhibition of C3 and C3b-containing convertases	26, 27
SAK	Staphylokinase	C3b, IgG (via Plasmin)	Cleaves complement proteins, removes C3b from surface	28
Sbi	<i>S. aureus</i> IgG-binding protein	IgG	Inhibits Ig interaction with C1q	29
SCIN	Staphylococcal complement inhibitor	C3 Convertases	Inhibits C3 activation to C3a/C3b	26, 30
SpA	<i>S. aureus</i> protein A	Ig's, gC1q-R	Inhibits Ig interaction with C1q	31
SSL-7	Staphylococcal superantigen-like protein 7	C5	Prevents C5 cleavage	32

***Streptococcus* spp.**

Bac	□-Protein	IgA, fH	Recruitment of regulators	33
Fba	Fibronectin-binding protein	fH, FHL-1	Recruitment of regulators	34
Hic ^b	Factor H-binding inhibitor of complement	fH	Recruitment of regulators	35
IdeS	IgG-degrading Enzyme of <i>S. pyogenes</i>	IgG	Cleaves IgG, no interaction with C1q	36
M ^b	Surface proteins M family (Arp, Sir, etc.)	fH, C4BP, FHL, FHR, MCP	Recruitment of regulators	37
PLY	Pneumolysin	IgG, C1q	Complement activation / depletion	38, 39
PspA	Pneumococcal surface protein A	unknown	Potential impairing of AP and complement receptors	40
PspC ^c	Pneumococcal surface protein C	fH (C3, IgA)	Recruitment of regulators, Potential degradation of C3/C3b	41-44
scpA/B	Streptococcal C5a peptidase	C5a	Degrades C5a, Disrupts signaling	45-47
SIC	Streptococcal inhibitor of complement	C5b-7, C5b-8	Prevention of MAC formation	48, 49
SPE B	Streptococcal pyrogenic exotoxin B	Properdin, Ig's	Degrades Properdin, Ig's	36, 50
SpG	Streptococcus protein G	Ig's	Inhibits Ig interaction with C1q	51

<i>Yersinia</i> spp.				
YadA	Yersinia adhesin A	fH	Recruitment of regulators	52
Viruses				
Herpes viruses				
gC1/2	Transmembrane glycoproteins C1,C2 (HSV)	C3b	Binds to C3b, decay acceleration (only AP), inhibits binding of properdin & C5	53
gE+gI	Glycoproteins E+I (HSV)	IgG	Fc-receptor, less activation	54, 55
gp34,68	Glycoproteins 34, 68 (HCMV)	IgG	Fc-receptors, less activation	56, 57
gpl+gpIV	Glycoproteins I+IV (VZV)	IgG	Fc-receptor, less activation	58
KCP ^d	Kaposi's sarkoma-associated complement control protein (KSHV)	C3b	Mimics regulators (cofactor/decay acceleration)	59
Retroviruses				
gp41	Envelope glycoprotein 41 (HIV)	C1q, fH, CD59	Direct CP activation, Recruitment of regulators, decrease CD59 expression	60-62
gp120	Envelope glycoprotein 120 (HIV)	MBL, fH	Direct LP activation, Recruitment of regulators	62, 63
Tat	Transactivator of transcription (HIV)	C1-INH	Induces C1-INH expression	64
Poxviruses				
IMP	Cowpox control inflammation modulatory protein (Cowpox Virus)	C3b, Convertases	Mimics regulators (cofactor/decay acceleration)	65
MOPICE	Monkeypox inhibitor of complement enzymes (monkeypox virus)	C3b	Mimics regulators (only cofactor activity)	66
SPICE	Smallpox inhibitor of complement enzymes (variola virus)	C3b, Convertases	Mimics regulators (cofactor/decay acceleration)	67
VCP	Vaccinia virus complement control protein (vaccinia virus)	C3b, Convertases	Mimics regulators (cofactor/decay acceleration)	68
Filoviruses				
NS1	Non-structural protein 1 (West Nile virus)	fH	Recruitment of regulators	69
Fungi				
<i>Aspergillus fumigatus</i>				
n/a	Unknown factor	fH, FHL-1, C4BP	RCA recruitment	83

Candida albicans

CRASP-1	Complement regulator-acquiring surface protein 1	fH, FHL-1, C4BP	Recruitment of regulators	84, 85
Gpm1p	Phosphoglycerate mutase	fH, FHL-1	Recruitment of regulators	86

Parasites

Echinococcus spp.

n/a	Hydatid cyst wall	fH	Recruitment of regulators	70
-----	-------------------	----	---------------------------	----

Ixodes spp.

IRAC	<i>Ixodes ricinus</i> anti-complement protein	AP convertase	Decay acceleration	71
ISAC	<i>Ixodes scapularis</i> anti-complement protein	AP convertase	Decay acceleration	72

Onchocerca spp.

mf	Microfilariae	fH	Recruitment of regulators	73
----	---------------	----	---------------------------	----

Ornithodoros spp.

OmCI	<i>Ornithodoros moubata</i> complement inhibitor	C5	Binds to C5 (potentially blocks binding to C5 convertase)	74
------	--	----	---	----

Schistosoma spp.

CRIT	Complement C2 receptor trispanning	C2	Inhibits CP convertase formation	75
m28	28kDa membrane serine protease	iC3b	Cleaves iC3b, restricts CR3 binding	76, 77
Pmy ^e	Paramyosin	C8, C9, C1q, IgG	Prevents MAC formation Decreases AP activation	78-81

Trypanosoma spp.

CRIT	Complement C2 receptor trispanning	C2	Inhibits CP convertase formation	75
T-DAF	<i>Trypanosoma</i> decay-accelerating factor	Convertase	Destabilizes convertase	82

^aEhp has also been termed extracellular complement-binding protein (Ecb). ^bAs Hic is not a member of the classical PspC family but a PspC-like protein, it is listed as separate protein. ^cFormer names: cholin-binding protein (CbpA), *Streptococcus pneumoniae* secretory IgA-binding protein (SpsA) and pneumococcal C3-binding protein A (PbcA). ^dKPC has also been termed kaposica. ^eParamyosin has previously been described as Schistosome complement inhibitor protein 1 (SCIP-1). AP, alternative pathway; C1-INH, C1 esterase inhibitor; C4BP, C4-binding protein; C5aR, C5a receptor; CP, classical pathway; DAF, decay accelerating factor; fH, factor H; FHL, factor H-like protein; Ig, immunoglobulin; MBL, mannose-binding lectin; MCP, membrane cofactor protein.

Supplementary information S1 (table): References

1. Asakawa, R. *et al.* Outer membrane protein 100, a versatile virulence factor of *Actinobacillus actinomycetemcomitans*. *Mol. Microbiol.* **50**, 1125-1139 (2003).
2. Berggard, K., Johnsson, E., Mooi, F.R. & Lindahl, G. Bordetella pertussis binds the human complement regulator C4BP: role of filamentous hemagglutinin. *Infect. Immun.* **65**, 3638-3643 (1997).
3. Kraiczy, P., Skerka, C., Kirschfink, M., Brade, V. & Zipfel, P.F. Immune evasion of *Borrelia burgdorferi* by acquisition of human complement regulators FHL-1/reconectin and Factor H. *Eur. J. Immunol.* **31**, 1674-1684 (2001).
4. Hellwage, J. *et al.* The complement regulator factor H binds to the surface protein OspE of *Borrelia burgdorferi*. *J. Biol. Chem.* **276**, 8427-8435 (2001).
5. Stevenson, B., El-Hage, N., Hines, M.A., Miller, J.C. & Babb, K. Differential binding of host complement inhibitor factor H by *Borrelia burgdorferi* Erp surface proteins: a possible mechanism underlying the expansive host range of Lyme disease spirochetes. *Infect. Immun.* **70**, 491-497 (2002).
6. Pausa, M. *et al.* Serum-resistant strains of *Borrelia burgdorferi* evade complement-mediated killing by expressing a CD59-like complement inhibitory molecule. *J. Immunol.* **170**, 3214-3222 (2003).
7. Prasadarao, N.V., Blom, A.M., Villoutreix, B.O. & Linsangan, L.C. A novel interaction of outer membrane protein A with C4b binding protein mediates serum resistance of *Escherichia coli* K1. *J. Immunol.* **169**, 6352-6360 (2002).
8. Lathem, W.W., Bergsbaken, T. & Welch, R.A. Potentiation of C1 esterase inhibitor by StcE, a metalloprotease secreted by *Escherichia coli* O157:H7. *The Journal of experimental medicine* **199**, 1077-1087 (2004).
9. Pramoontjago, P. *et al.* Role of TraT protein, an anticomplementary protein produced in *Escherichia coli* by R100 factor, in serum resistance. *J. Immunol.* **148**, 827-836 (1992).
10. Friberg, N., Carlson, P., Meri, S. & Jarva, H. *Fusobacterium necrophorum*, the cause of Lemierre's syndrome, binds factor H. *Mol. Immunol.* **44**, 3976 (2007).
11. Hallstrom, T., Jarva, H., Riesbeck, K. & Blom, A.M. Interaction with C4b-binding protein contributes to nontypeable *Haemophilus influenzae* serum resistance. *J. Immunol.* **178**, 6359-6366 (2007).
12. Hallstrom, T., Zipfel, P.F., Blom, A.M., Forsgren, A. & Riesbeck, K. *Haemophilus influenzae* interacts with the human complement inhibitor factor H. *Molecular Immunology* **44**, 3926 (2007).
13. Nordstrom, T., Blom, A.M., Forsgren, A. & Riesbeck, K. The emerging pathogen *Moraxella catarrhalis* interacts with complement inhibitor C4b binding protein through ubiquitous surface proteins A1 and A2. *J. Immunol.* **173**, 4598-4606 (2004).
14. Madico, G. *et al.* The meningococcal vaccine candidate GNA1870 binds the complement regulatory protein factor H and enhances serum resistance. *J. Immunol.* **177**, 501-510 (2006).
15. Ram, S. *et al.* Binding of C4b-binding protein to porin: a molecular mechanism of serum resistance of *Neisseria gonorrhoeae*. *The Journal of experimental medicine* **193**, 281-295 (2001).
16. Ram, S. *et al.* The contrasting mechanisms of serum resistance of *Neisseria gonorrhoeae* and group B *Neisseria meningitidis*. *Mol. Immunol.* **36**, 915-928 (1999).
17. Kallstrom, H., Liszewski, M.K., Atkinson, J.P. & Jonsson, A.B. Membrane cofactor protein (MCP or CD46) is a cellular pilus receptor for pathogenic *Neisseria*. *Mol. Microbiol.* **25**, 639-647 (1997).
18. Schenkein, H.A., Fletcher, H.M., Bodnar, M. & Macrina, F.L. Increased opsonization of a prtH-defective mutant of *Porphyromonas gingivalis* W83 is caused by reduced degradation of complement-derived opsonins. *J. Immunol.* **154**, 5331-5337 (1995).
19. Hong, Y.Q. & Ghebrehiwet, B. Effect of *Pseudomonas aeruginosa* elastase and alkaline protease on serum complement and isolated components C1q and C3. *Clin. Immunol. Immunopathol.* **62**, 133-138 (1992).
20. Kunert, A. *et al.* Immune Evasion of the Human Pathogen *Pseudomonas aeruginosa*: Elongation Factor Tuf Is a Factor H and Plasminogen Binding Protein. *J. Immunol.* **179**, 2979-2988 (2007).
21. Oda, T. *et al.* Inactivation of chemotactic activity of C5a by the serratial 56-kilodalton protease. *Infect. Immun.* **58**, 1269-1272 (1990).
22. Molla, A., Akaike, T. & Maeda, H. Inactivation of various proteinase inhibitors and the complement system in human plasma by the 56-kilodalton proteinase from *Serratia marcescens*. *Infect. Immun.* **57**, 1868-1871 (1989).

23. de Haas, C.J. *et al.* Chemotaxis inhibitory protein of *Staphylococcus aureus*, a bacterial antiinflammatory agent. *The Journal of experimental medicine* **199**, 687-695 (2004).
24. Hammel, M. *et al.* A structural basis for complement inhibition by *Staphylococcus aureus*. *Nat. Immunol.* **8**, 430-437 (2007).
25. Lee, L.Y. *et al.* Inhibition of complement activation by a secreted *Staphylococcus aureus* protein. *J. Infect. Dis.* **190**, 571-579 (2004).
26. Jongerius, I. *et al.* Staphylococcal complement evasion by various convertase-blocking molecules. *The Journal of experimental medicine* **204**, 2461-2471 (2007).
27. Hammel, M. *et al.* Characterization of Ehp: A secreted complement inhibitory protein from *Staphylococcus aureus*. *J. Biol. Chem.* (2007).
28. Rooijackers, S.H., van Wamel, W.J., Ruyken, M., van Kessel, K.P. & van Strijp, J.A. Anti-opsonic properties of staphylokinase. *Microbes Infect.* **7**, 476-484 (2005).
29. Zhang, L., Jacobsson, K., Vasi, J., Lindberg, M. & Frykberg, L. A second IgG-binding protein in *Staphylococcus aureus*. *Microbiology* **144 (Pt 4)**, 985-991 (1998).
30. Rooijackers, S.H. *et al.* Immune evasion by a staphylococcal complement inhibitor that acts on C3 convertases. *Nat. Immunol.* **6**, 920-927 (2005).
31. Kronvall, G. & Gewurz, H. Activation and inhibition of IgG mediated complement fixation by staphylococcal protein A. *Clin. Exp. Immunol.* **7**, 211-220 (1970).
32. Langley, R. *et al.* The staphylococcal superantigen-like protein 7 binds IgA and complement C5 and inhibits IgA-Fc alpha RI binding and serum killing of bacteria. *J. Immunol.* **174**, 2926-2933 (2005).
33. Areschoug, T., Stalhammar-Carlemalm, M., Karlsson, I. & Lindahl, G. Streptococcal beta protein has separate binding sites for human factor H and IgA-Fc. *J. Biol. Chem.* **277**, 12642-12648 (2002).
34. Pandiripally, V., Wei, L., Skerka, C., Zipfel, P.F. & Cue, D. Recruitment of complement factor H-like protein 1 promotes intracellular invasion by group A streptococci. *Infect. Immun.* **71**, 7119-7128 (2003).
35. Janulczyk, R., Iannelli, F., Sjöholm, A.G., Pozzi, G. & Björck, L. Hic, a novel surface protein of *Streptococcus pneumoniae* that interferes with complement function. *J. Biol. Chem.* **275**, 37257-37263 (2000).
36. von Pawel-Rammingen, U. & Björck, L. IdeS and SpeB: immunoglobulin-degrading cysteine proteinases of *Streptococcus pyogenes*. *Curr. Opin. Microbiol.* **6**, 50-55 (2003).
37. Jarva, H., Jokiranta, T.S., Würzner, R. & Meri, S. Complement resistance mechanisms of streptococci. *Mol. Immunol.* **40**, 95-107 (2003).
38. Mitchell, T.J., Andrew, P.W., Saunders, F.K., Smith, A.N. & Boulnois, G.J. Complement activation and antibody binding by pneumolysin via a region of the toxin homologous to a human acute-phase protein. *Mol. Microbiol.* **5**, 1883-1888 (1991).
39. Paton, J.C., Rowan-Kelly, B. & Ferrante, A. Activation of human complement by the pneumococcal toxin pneumolysin. *Infect. Immun.* **43**, 1085-1087 (1984).
40. Ren, B. *et al.* The virulence function of *Streptococcus pneumoniae* surface protein A involves inhibition of complement activation and impairment of complement receptor-mediated protection. *J. Immunol.* **173**, 7506-7512 (2004).
41. Dave, S., Brooks-Walter, A., Pangburn, M.K. & McDaniel, L.S. PspC, a pneumococcal surface protein, binds human factor H. *Infect. Immun.* **69**, 3435-3437 (2001).
42. Kerr, A.R. *et al.* The contribution of PspC to pneumococcal virulence varies between strains and is accomplished by both complement evasion and complement-independent mechanisms. *Infect. Immun.* **74**, 5319-5324 (2006).
43. Angel, C.S., Ruzek, M. & Hostetter, M.K. Degradation of C3 by *Streptococcus pneumoniae*. *J. Infect. Dis.* **170**, 600-608 (1994).
44. Cheng, Q., Finkel, D. & Hostetter, M.K. Novel purification scheme and functions for a C3-binding protein from *Streptococcus pneumoniae*. *Biochemistry* **39**, 5450-5457 (2000).
45. Chmouryguina, I., Suvorov, A., Ferrieri, P. & Cleary, P.P. Conservation of the C5a peptidase genes in group A and B streptococci. *Infect. Immun.* **64**, 2387-2390 (1996).
46. Wexler, D.E., Chenoweth, D.E. & Cleary, P.P. Mechanism of action of the group A streptococcal C5a inactivator. *Proc. Natl. Acad. Sci. U.S.A.* **82**, 8144-8148 (1985).
47. Wexler, D.E., Nelson, R.D. & Cleary, P.P. Human neutrophil chemotactic response to group A streptococci: bacteria-mediated interference with complement-derived chemotactic factors. *Infect. Immun.* **39**, 239-246 (1983).
48. Akesson, P., Sjöholm, A.G. & Björck, L. Protein SIC, a novel extracellular protein of *Streptococcus pyogenes* interfering with complement function. *J. Biol. Chem.* **271**, 1081-1088 (1996).
49. Fernie-King, B.A. *et al.* Streptococcal inhibitor of complement (SIC) inhibits the membrane attack complex by preventing uptake of C5b7 onto cell membranes. *Immunology* **103**, 390-398 (2001).

50. Tsao, N. *et al.* Streptococcal pyrogenic exotoxin B cleaves properdin and inhibits complement-mediated opsonophagocytosis. *Biochem. Biophys. Res. Commun.* **339**, 779-784 (2006).
51. Bjorck, L. & Kronvall, G. Purification and some properties of streptococcal protein G, a novel IgG-binding reagent. *J. Immunol.* **133**, 969-974 (1984).
52. China, B., Sory, M.P., N'Guyen, B.T., De Bruyere, M. & Cornelis, G.R. Role of the YadA protein in prevention of opsonization of *Yersinia enterocolitica* by C3b molecules. *Infect. Immun.* **61**, 3129-3136 (1993).
53. Kostavasili, I. *et al.* Mechanism of complement inactivation by glycoprotein C of herpes simplex virus. *J. Immunol.* **158**, 1763-1771 (1997).
54. Johnson, D.C. & Feenstra, V. Identification of a novel herpes simplex virus type 1-induced glycoprotein which complexes with gE and binds immunoglobulin. *J. Virol.* **61**, 2208-2216 (1987).
55. Para, M.F., Baucke, R.B. & Spear, P.G. Glycoprotein gE of herpes simplex virus type 1: effects of anti-gE on virion infectivity and on virus-induced fc-binding receptors. *J. Virol.* **41**, 129-136 (1982).
56. Atalay, R. *et al.* Identification and expression of human cytomegalovirus transcription units coding for two distinct Fc γ receptor homologs. *J. Virol.* **76**, 8596-8608 (2002).
57. Lilley, B.N., Ploegh, H.L. & Tirabassi, R.S. Human cytomegalovirus open reading frame TRL11/IRL11 encodes an immunoglobulin G Fc-binding protein. *J. Virol.* **75**, 11218-11221 (2001).
58. Litwin, V., Jackson, W. & Grose, C. Receptor properties of two varicella-zoster virus glycoproteins, gpI and gpIV, homologous to herpes simplex virus gE and gI. *J. Virol.* **66**, 3643-3651 (1992).
59. Spiller, O.B. *et al.* Complement regulation by Kaposi's sarcoma-associated herpesvirus ORF4 protein. *J. Virol.* **77**, 592-599 (2003).
60. Chong, Y.H. & Lee, M.J. Expression of complement inhibitor protein CD59 in human neuronal and glial cell lines treated with HIV-1 gp41 peptides. *J. Neurovirol.* **6**, 51-60 (2000).
61. Ebenbichler, C.F. *et al.* Human immunodeficiency virus type 1 activates the classical pathway of complement by direct C1 binding through specific sites in the transmembrane glycoprotein gp41. *The Journal of experimental medicine* **174**, 1417-1424 (1991).
62. Stoiber, H., Schneider, R., Janatova, J. & Dierich, M.P. Human complement proteins C3b, C4b, factor H and properdin react with specific sites in gp120 and gp41, the envelope proteins of HIV-1. *Immunobiology* **193**, 98-113 (1995).
63. Thielens, N.M., Tacnet-Delorme, P. & Arlaud, G.J. Interaction of C1q and mannan-binding lectin with viruses. *Immunobiology* **205**, 563-574 (2002).
64. Izmailova, E. *et al.* HIV-1 Tat reprograms immature dendritic cells to express chemoattractants for activated T cells and macrophages. *Nat. Med.* **9**, 191-197 (2003).
65. Miller, C.G., Shchelkunov, S.N. & Kotwal, G.J. The cowpox virus-encoded homolog of the vaccinia virus complement control protein is an inflammation modulatory protein. *Virology* **229**, 126-133 (1997).
66. Liszewski, M.K. *et al.* Structure and regulatory profile of the monkeypox inhibitor of complement: comparison to homologs in vaccinia and variola and evidence for dimer formation. *J. Immunol.* **176**, 3725-3734 (2006).
67. Rosengard, A.M., Liu, Y., Nie, Z. & Jimenez, R. Variola virus immune evasion design: expression of a highly efficient inhibitor of human complement. *Proc. Natl. Acad. Sci. U.S.A.* **99**, 8808-8813 (2002).
68. McKenzie, R., Kotwal, G.J., Moss, B., Hammer, C.H. & Frank, M.M. Regulation of complement activity by vaccinia virus complement-control protein. *J. Infect. Dis.* **166**, 1245-1250 (1992).
69. Chung, K.M. *et al.* West Nile virus nonstructural protein NS1 inhibits complement activation by binding the regulatory protein factor H. *Proc. Natl. Acad. Sci. U.S.A.* **103**, 19111-19116 (2006).
70. Diaz, A., Ferreira, A. & Sim, R.B. Complement evasion by *Echinococcus granulosus*: sequestration of host factor H in the hydatid cyst wall. *J. Immunol.* **158**, 3779-3786 (1997).
71. Daix, V. *et al.* Ixodes ticks belonging to the Ixodes ricinus complex encode a family of anticomplement proteins. *Insect. Mol. Biol.* **16**, 155-166 (2007).
72. Valenzuela, J.G., Charlab, R., Mather, T.N. & Ribeiro, J.M. Purification, cloning, and expression of a novel salivary anticomplement protein from the tick, *Ixodes scapularis*. *J. Biol. Chem.* **275**, 18717-18723 (2000).
73. Meri, T. *et al.* *Onchocerca volvulus* microfilariae avoid complement attack by direct binding of factor H. *J. Infect. Dis.* **185**, 1786-1793 (2002).
74. Nunn, M.A. *et al.* Complement inhibitor of C5 activation from the soft tick *Ornithodoros moubata*. *J. Immunol.* **174**, 2084-2091 (2005).
75. Inal, J.M. & Sim, R.B. A *Schistosoma* protein, Sh-TOR, is a novel inhibitor of complement which binds human C2. *FEBS Lett.* **470**, 131-134 (2000).
76. Ghendler, Y., Parizade, M., Arnon, R., McKerrow, J.H. & Fishelson, Z. *Schistosoma mansoni*: evidence for a 28-kDa membrane-anchored protease on schistosomula. *Exp. Parasitol.* **83**, 73-82 (1996).

77. Marikovsky, M., Arnon, R. & Fishelson, Z. Schistosoma mansoni: localization of the 28 kDa secreted protease in cercaria. *Parasite Immunol.* **12**, 389-401 (1990).
78. Deng, J., Gold, D., LoVerde, P.T. & Fishelson, Z. Inhibition of the complement membrane attack complex by Schistosoma mansoni paramyosin. *Infect. Immun.* **71**, 6402-6410 (2003).
79. Laclette, J.P. *et al.* Paramyosin inhibits complement C1. *J. Immunol.* **148**, 124-128 (1992).
80. McIntosh, R.S., Jones, F.M., Dunne, D.W., McKerrow, J.H. & Pleass, R.J. Characterization of immunoglobulin binding by schistosomes. *Parasite Immunol.* **28**, 407-419 (2006).
81. Parizade, M., Arnon, R., Lachmann, P.J. & Fishelson, Z. Functional and antigenic similarities between a 94-kD protein of Schistosoma mansoni (SCIP-1) and human CD59. *The Journal of experimental medicine* **179**, 1625-1636 (1994).
82. Tambourgi, D.V. *et al.* A partial cDNA clone of trypomastigote decay-accelerating factor (T-DAF), a developmentally regulated complement inhibitor of Trypanosoma cruzi, has genetic and functional similarities to the human complement inhibitor DAF. *Infect. Immun.* **61**, 3656-3663 (1993).
83. Vogl, G. *et al.* Immune evasion by acquisition of complement inhibitors: The mould Aspergillus binds both factor H and C4b binding protein. *Mol. Immunol.* (2007).
84. Meri, T. *et al.* The yeast Candida albicans binds complement regulators factor H and FHL-1. *Infect. Immun.* **70**, 5185-5192 (2002).
85. Meri, T. *et al.* The hyphal and yeast forms of Candida albicans bind the complement regulator C4b-binding protein. *Infect. Immun.* **72**, 6633-6641 (2004).
86. Poltermann, S. *et al.* Gpm1p is a factor H, FHL-1 and plasminogen-binding surface protein of Candida albicans. *J. Biol. Chem.* (2007).